

hADORA2A

品系全名 C57BL/6Smoc-*Adora2a*^{tm1(hADORA2A)Smoc}

目录号 NM-HU-215061

品系状态 活体

基因信息

| | | |
|------------------------------|-------------------|------------------------------------|
| 基因名 Adora2a | 基因曾用名 | A2aR; A2AAR; AA2AR |
| | NCBI ID | 11540 |
| | MGI ID | 99402 |
| | Ensembl ID | ENSMUSG00000020178 |
| | 人类同源基因 | ADORA2A |

品系描述

利用同源重组，将小鼠Adora2a基因进行人源化修饰。

*使用本品系发表的文献需注明: hADORA2A mice (Cat. NO. NM-HU-215061) were purchased from Shanghai Model Organisms Center, Inc..

验证数据




Fig1. Detection of ADORA2A expression in thymus and spleen by RT-PCR. Wild type: only one

band at 184 bp with primers F1/R1 (mAdora2a); Homozygous: only one band at 234 bp with primers F2/R2 (hADORA2A); Abbr. M, DNA marker; HO, homozygous; HE, heterozygous; WT, wild type.




Fig2. Detection of hADORA2A expression in Myeloid cells and activated T cells in hADORA2A KI mice. Note. Splenocytes from C57BL/6 and homozygous hADORA2A mice were stimulated with anti-mCD3 antibody *in vitro*. The anti-human ADORA2A antibody cross-reacted with mADORA2A and humanized ADORA2A.




Fig3. Detection of hADORA2A expression in activated B cells and NK cells in hADORA2A KI mice. Note. Splenocytes from C57BL/6 and homozygous hADORA2A mice were stimulated with anti-mCD3 antibody *in vitro*. The anti-human ADORA2A antibody cross-reacted with mADORA2A and humanized ADORA2A.




Fig4. Detection of mA2AR expression in hippocampus(CA3) in C57BL/6 mice by IHC. Abbr. HO/HO, homozygous; +/+, wild type. Note. The anti-mouse ADORA2A Antibody cross-reacted with mADORA2A and humanized ADORA2A.




Fig5. Detection of hA2AR expression in hippocampus(CA3) in HO hADORA2A KI mice by IHC. Abbr. HO/HO, homozygous; +/+, wild type. Note. The anti-human ADORA2A Antibody cross-reacted with mADORA2A and humanized ADORA2A.