

hIL13(BALB/c)

品系全名	BALB/cAnSmoc- <i>Il13</i> ^{em2(hIL13)Smoc}
目录号	NM-HU-220019
品系状态	胚胎冻存

基因信息

基因名 IL13	基因曾用名	IL-13; P600
	NCBI ID	16163
	MGI ID	96541
	Ensembl ID	ENSMUSG00000020383
	人类同源基因	IL13

品系描述

通过同源重组，将小鼠IL13基因进行人源化修饰。

*使用本品系发表的文献需注明: hIL13(BALB/c) mice (Cat. NO. NM-HU-220019) were purchased from Shanghai Model Organisms Center, Inc..

验证数据




Fig1. Detection of IL-13 expression in thymus by RT-PCR. Wild type: only one band at 260 bp with primers F1/R1(ml-13); Heterozygous: one band at 260 bp with primers F1/R1(ml-13) and one band at 334 bp with primers F2/R2(hIL-13); Abbr.. M, DNA marker; HO, homozygous; HE, heterozygous; WT, wild type.




Fig2. Detection of hIL13 expression in cell culture supernatant by ELISA. Abbr. HO, homozygous; HE, heterozygous; WT, wild type. Note. Splenocytes from BALB/c and homozygous hIL13 mice were stimulated with ConA *in vitro*.




Fig3. Detection of mIL13 expression in cell culture supernatant by ELISA. Abbr. HO, homozygous; HE, heterozygous; WT, wild type. Note. Splenocytes from BALB/c and homozygous hIL13 mice were stimulated with ConA *in vitro*.